

Strix
日本野鳥の会研究報告
Vol. 2 1983

目 次

論 文・報 告

池長裕史：日没時におけるヤンバルクイナの水場への出現と その際の若干の行動観察.....	1
遠藤孝一・平野敏明：栃木県におけるノビタキの繁殖分布と繁殖環境.....	12
石川 勉・桑原和之：谷津干潟におけるチドリ類の個体数の変化.....	19
熊谷 潤・犬山聰彦・臼井勝之・斎藤 篤・浜口哲一・三島敦子・八城敬友： 神奈川県におけるハクセキレイの集団ねぐらについて.....	33
藤波不二雄：ヨシ原の面積とオオヨシキリの鳴り雄の個体数との関係.....	41
小山完二・伊藤祥文・戸村佳代：カワセミの帰郷行動に対する天気の影響.....	47
日本野鳥の会十勝支部：北海道十勝地方におけるオジロワシとオオワシの分布.....	53
日本野鳥の会静岡支部：静岡市周辺におけるヒメアマツバメの生息状況.....	59
日本野鳥の会研究部テクニカルチーム： 草垣群島におけるカツオドリとオオミズナギドリの調査.....	67
樋口広芳・平野敏明：セグロセキレイの羽色変異個体.....	76
樋口広芳・中村一恵：日本の各地におけるハクセキレイと セグロセキレイの繁殖期の生息状況.....	85
Mark Brazil: The Breeding Success and Distribution of Whooper Swans <i>Cygnus cygnus</i> Wintering in Japan	95
短 報	
室代友之・中村一恵：日本新記録のアメリカオオハシシギについて.....	104
樋口行雄・花輪伸一・塚本洋三： 小笠原航路におけるアカシカツオドリの観察.....	106
澤田佳長：1982年の台風19号により迷行した野鳥.....	108
菊田一郎：サンカノゴイの鳴声終日調査.....	110
田中正一：九州でのシロハラクイナの繁殖初記録.....	112
澤田佳長：高知県におけるシロハラクイナの初記録.....	113
自然保護アピール	
岡本久人：釣人の島嶼性海鳥に及ぼす影響.....	115
百瀬邦和・中村玲子：北海道のタンチョウ保護の現状.....	121
日本野鳥の会全国一斉調査結果報告	
シギ・チドリ類およびガン・カモ・ハクチョウ類全国一斉調査の結果について.....	131
雑 錄	
文献リスト（1982.10～1983.9）.....	140

Strix

Study Reports of the Wild Bird Society of Japan

Vol. 2 1983

CONTENTS

Original Articles

Hiroshi Ikenaga : Appearance Time and Behavior of the Okinawa Rail <i>Rallus okinawae</i> at a Water Site in the Late Afternoon	1
Koichi Endo and Toshiaki Hirano : Breeding Distribution and Breeding Habitat of the Stonechat <i>Saxicola torquata</i> in Tochigi Prefecture	12
Tsutomu Ishikawa and Kazuyuki Kuwahara : Changes in Numbers of Plovers at Yatsu Tidai Flat in Chiba Prefecture	19
Jun Kumagai, Toshihiko Inuyama, Katsuyuki Usui, Atsushi Saito, Tetsuichi Hamaguchi, Atsuko Mishima, and Keisuke Yashiro : On Communal Roost of White Wagtail <i>Motacilla alba</i> in Kanagawa Prefecture	33
Fujio Fujinami : Relationship Between the Area of <i>Phragmites communis</i> Community and the Number of Great Reed Warblers <i>Acrocephalus arundinaceus</i>	41
Kanji Koyama, Hirofumi Ito, and Kayo Tomura : Weather Influence on the Roosting Behavior of Common Kingfisher <i>Alcedo atthis</i>	47
Tokachi Chapter, WBSJ : Distribution of White-tailed Eagle <i>Haliaeetus albicilla</i> and Steller's Sea-Eagle <i>H. pelagicus</i> in the Tokachi District, Hokkaido	53
Shizuoka Chapter, WBSJ : Distribution, Number, and Nesting Environment of the House Swift <i>Apus affinis</i> in the Shizuoka City Area	59
The Technical Team of the Research Division, WBSJ : The Investigation of Brown Booby <i>Sula leucogaster</i> and Streaked Shearwater <i>Calonectris leucomelas</i> in Kusagaki Islands	67
Hiroyoshi Higuchi and Toshiaki Hirano : Aberrant Plumages of the Japanese Wagtail <i>Motacilla grandis</i>	76
Hiroyoshi Higuchi and Kazue Nakamura : Breeding Records of White and Japanese Wagtails, <i>Motacilla alba</i> and <i>M. grandis</i> , in Japan	85
Mark Brazil : The Breeding Success and Distribution of Whooper Swans <i>Cygnus cygnus</i> in Japan	95

Short Reports

Yuzo Murofushi and Kazue Nakamura : First Record of Short-billed Dowitcher <i>Limnodromus griseus</i> from Japan	104
Yukio Higuchi, Shin-ichi Hanawa, and Yozo Tsukamoto : Observation of Red-footed Booby <i>Sula sula</i> on the Ogasawara Line.....	106

Kacho Sawada : The Birds Observed after Typhoon No. 19 (1982)	108
Ichiro Kikuta : Frequency of the Bittern's Call	110
Shoichi Tanaka : First Breeding Record of White-breasted Waterhen <i>Amaurornis phoenicurus</i> in Kyushu	112
Kacho Sawada : First Record of White-breasted Waterhen <i>Amaurornis phoenicurus</i> in Shikoku.....	113
Conservation Appeal	
Hisato Okamoto : Fishermens' Influence on the Breeding Seabirds.....	115
Kunikazu Momose and Reiko Nakamura : Present Status of Protection of Japanese Cranes in Hokkaido.....	121
Nationwide Counts of Waders and Waterfowl	
Research Division, WBSJ : Results of the Netonwide Counts of Waders and Waterfowl Conducted by the Wild Bird Society of Japan.....	131
Miscellanea	
List of the Literature (Oct. 1982-Sept. 1983)	140
Corrections	